

2018

RENTAL RATES

801-908-8900 | wheelercat.com/rental-equipment



Wheeler

CAT



WHO WE ARE:

Wheeler Machinery Co. provides an extensive fleet of well maintained, low-hour construction machinery, water trucks, power equipment, GPS, lasers and work tools.

THE WHEELER ADVANTAGE:

- Caterpillar and other preferred brands
- Experienced, responsive customer service
- Competitive pricing
- Day, week and 4-week rental options
- Fast delivery to customer job sites
- 24-hour emergency service

PHONE:

(801) 908-8900

Day = 8 hrs

Week = 40 hrs

4-Week = 176 hrs

RENTAL LOCATIONS

SALT LAKE CITY

(801) 908-8900

SALINA

(435) 529-7423

LOGAN

(435) 753-5521

CEDAR CITY

(435) 267-1200

OGDEN

(801) 732-9100

HURRICANE

(435) 251-8448

LINDON


(801) 796-0999

ELY, NV

(775) 289-2466

VERNAL

(435) 789-0635



ARTICULATED TRUCKS

| | |
|-----|---|
| 725 | 26 Ton Articulated Truck, 49,075 lbs. |
| 730 | 31 Ton Articulated Truck, 50,376 lbs. |
| 735 | 36 Ton Articulated Truck, 69,206 lbs. |
| 740 | 43.5 Ton Articulated Truck, 75,824 lbs. |
| 745 | 45.2 Ton Articulated Truck, 73,634 lbs. |

OFF HIGHWAY TRUCKS

| | |
|-----|----------------|
| 770 | 42.6 Ton Truck |
| 772 | 51 Ton Truck |
| 773 | 61 Ton Truck |
| 775 | 70 Ton Truck |
| 777 | 100 Ton Truck |

ON HIGHWAY DUMP TRUCKS

| | |
|-------------------|------------------------|
| Dump Truck 6 Yd. | 6 Yard, 10' Dump Body |
| Dump Truck 10 Yd. | 10 Yard, 15' Dump Body |

**Mileage allowance of 100 per day, 500 per week, 2,000 per month. Charge of \$0.25 per mile over allowed miles. **CDL and Insurance required for all on highway trucks.*



WATER EQUIPMENT

Water Truck, 2,000 gl. On highway, 2,000 gallon

Water Truck, 4,000 gl. On highway, 4,000 gallon

**Mileage allowance of 100 per day, 500 per week, 2,000 per month. Charge of \$0.25 per mile over allowed miles. **CDL and Insurance required for all on highway trucks.*

613C Water Wagon 5,000 Gallon

615C Water Wagon 6,500 Gallon

621F Water Wagon 8,000 Gallon

740 Water Truck 8,000 Gallon

Water Trailer, 500 gl. 500 gallon water trailer

Water Tower, 12,000 gl. 12,000 gallon stand tank

J-Stand Stand Pipe

SOIL COMPACTORS

| | |
|------|---------------------------|
| 815K | 45,765 lbs., 12' 4" Dozer |
| 825K | 78,326 lbs., 15' 2" Dozer |

VIBRATORY ROLLERS
Single Drum, Pad

| | |
|------|----------------------------------|
| CP34 | 11,000 lbs., 50" Drum, 62" Blade |
| CP44 | 16,083 lbs., 66" Drum, 83" Blade |
| CP56 | 27,452 lbs., 84" Drum, 96" Blade |
| CP74 | 36,048 lbs., 84" Drum, 96" Blade |

Single Drum, Smooth

| | |
|------------|-----------------------|
| CS34 | 9,800 lbs., 50" Drum |
| CS44 | 15,212 lbs., 66" Drum |
| CS56 | 25,346 lbs., 84" Drum |
| CS68 | 31,572 lbs., 84" Drum |
| CS74 | 35,264 lbs., 84" Drum |
| Shell Kits | |



ASPHALT ROLLERS

| | |
|-------------------------|---------------------------------------|
| CB14 | 3,274 lbs., 35" Drums |
| CB22 | 5,629 lbs., 39" Drums |
| CB24 | 6,003 lbs., 47" Drums |
| CC24 Combi | 5,380 lbs., 47" Combi |
| CB32 | 6,190 lbs., 51" Drums |
| CB34 | 8,157 lbs., 51" Drums |
| CC34 Combi | 7,446 lbs., 51" Combi |
| CB44 | 17,615 lbs., 59" Drums |
| CCS7 Single Drum | 17,000 lbs., 67" Single Drum |
| CB54 | 20,945 lbs., 67" Drums |
| CB64B ("B" series) | 26,852 lbs., 79" Drums |
| C110 (CS54) Single Drum | 25,346 lbs., 84" Single Drum (Weiler) |
| CCS9 Single Drum | 25,000 lbs., 84" Single Drum |
| CB64 | 28,616 lbs., 84" Drums |
| CB66 | 29,057 lbs., 84" Drums |
| CB68 | 31,262 lbs., 84" Drums |

PNEUMATIC ROLLERS

| | |
|--------------|----------------------|
| CW14 / CW16 | 28,528 lbs., 9 Wheel |
| CW34 / PS360 | 59,525 lbs., 7 Wheel |

ASPHALT PAVING EQUIPMENT

| | |
|-------------------|------------------------|
| P385 Weiler Paver | 8' - 15' paving width |
| AP555E Paver | 8' - 15' paving width |
| AP655D Paver | 8' - 16' paving width |
| AP1055E Paver | 10' - 20' paving width |

**Cleaning fee of \$500 if not cleaned by customer*

| | |
|--------------|-------------------------|
| E2850 Weiler | Weiler Transfer Machine |
| Crack Sealer | Crafco EZ1000 |
| W530A | Road Widener |

**Sealant not included. For sealant, contact: Scott Goodliffe (435) 230-5045*

ROAD RECLAIMER

| | |
|--------|---|
| RM-500 | 62,060 lbs., 540 HP, 96" cutting/mixing width |
|--------|---|

**Call Aaron Venz (801-978-1671) when returned for rotor inspection.*

***Bits \$7 each x 200.*

SELF-PROPELLED BROOMS

| | |
|-------------------------|---------------------------------|
| Ride On Broom (3-wheel) | Canopy / 8' Broom / Towable |
| Ride On Broom (4-wheel) | Cab / AC / 8' Broom / Water Kit |

**Bristle Wear Charge: \$160 per inch of wear*



LIGHT COMPACTION EQUIPMENT

Rollers

| | |
|------------------------|---------------------------------|
| AR14H / RD12 (ride-on) | 2,600 lbs., 36" Dbl Drum Smooth |
| RT82-SC (walk-behind) | 3,300 lbs., 33" Dbl Drum Pad |
| RX1575 (walk-behind) | 3,307 lbs., 33" Dbl Drum Pad |

Rammers

| | |
|-------|------------------------------------|
| MTX60 | 4-Stroke, 141 lbs., 10" x 13" Shoe |
| MTX70 | 4-Stroke, 154 lbs., 11" x 13" Shoe |

Vibratory Plates

| | |
|-----------|-----------------------------|
| MVC82VGHW | 181 lbs., 17.7" Plate Width |
| MVC88VGHW | 202 lbs., 19.7" Plate Width |

Reversible Vibratory Plates

| | |
|-----------------|-------------------------------|
| MVH408 (diesel) | 968 lbs., 26" Plate Width |
| MVH508 (diesel) | 1,122 lbs., 26" Plate Width |
| DPU130 (diesel) | 2,613 lbs., 46.8" Plate Width |

PUMPS

Hydrostatic Test Pump 400 PSI, Piston, 5.5 hp gas Honda

Diesel Self Priming Pumps

4" Diesel Max. 550 GPM, trailer mtd.

6" Diesel Max. 1,425 GPM, trailer mtd.

8" Diesel Max. 1,700 GPM, trailer mtd.

Portable Gas Pumps

2" Trash PT2A/QP2TH Max. 205 GPM, 134 lbs.

3" Trash PT3A/QP3TH Max. 425 GPM, 164 lbs.

4" Trash PTS4V/QP4TH Max. 705 GPM, 360 lbs.

Electric Submersible Pumps

2" Electric Submersible Max. 66 GPM, 1 hp single phase

3" Electric Submersible Max. 320 GPM, 3.5 hp 3 phase

4" Electric Submersible Max. 525 GPM, 5.5 hp 3 phase

6" Electric Submersible Max. 1625 GPM, 16 hp 3 phase

Turtle Box Electric distribution box

Pump Hose

Discharge Hose 2" / 3" / 4" / 6" x 50' discharge hose

Suction Hose 2" / 3" / 4" / 6" x 20' intake hose

TRAILERS

TKT14U4 4' deck, 20' tilt, 14,000 lb. capacity

TKT24 24' tilt, 24,000 lb. capacity

TKT50 28' tilt, 50,000 lb. capacity

LIGHT TOWERS

Allmand 4 x 1250 watt, 25' height, hyd. mast



AIR COMPRESSORS / AIR HAMMERS

| | |
|---------------------|----------------------------------|
| 185 CFM | Sullivan D185QCA, 100 psi |
| 90 lb. / 60 lb. Air | Sullivan SPB 125-4, 1 1/4" chuck |
| Air Hose | 50' section air hose |

CUT-OFF SAWS

| | |
|-----------------|----------------------|
| Cut-off Saw 14" | K760, K970 14" Blade |
| Abrasive Blade | Concrete or Metallic |
| Diamond Blade | Call for Price |

TRENCH SHIELDS**Heavy-Duty, Double-Wall, 1 set of spreaders included**

| | |
|----------------------------|-------------------------------------|
| 8 x 12 Box | 8' H x 12' L, 5,800 lbs., 4" wall |
| 8 x 16 Box | 8' H x 16' L, 7,270 lbs., 4" wall |
| 8 x 20 Box | 8' H x 20' L, 8,920 lbs., 4" wall |
| 8 x 24 Box | 8' H x 24' L, 11,420 lbs., 4" wall |
| 4 x 8 Stacker | 4' H x 8' L, 3,135 lbs., 4" wall |
| 4 x 12 Stacker | 4' H x 12' L, 3,750 lbs., 4" wall |
| 4 x 16 Stacker | 4' H x 16' L, 4,600 lbs., 4" wall |
| 4 x 20 Stacker | 4' H x 20' L, 5,450 lbs., 4" wall |
| 4 x 24 Stacker | 4' H x 24' L, 6,321 lbs., 4" wall |
| Extra / oversize spreaders | Extra set or 72" & longer spreaders |
| Stacking Pins \$55/ea. | Extra Pins and Retainers \$46/ea. |

Manhole Shields (4" Double-Wall)

| | |
|--------------------|--------------------------|
| 8 x 8 Manhole Box | 8' H x 8' L, 5,110 lbs. |
| 8 x 10 Manhole Box | 8' H x 10' L, 6,010 lbs. |
| 8 x 12 Manhole Box | 8' H x 12' L, 6,870 lbs. |

Manhole shields require 5" diameter spreaders. For width of manhole shield add 4' to spreader size due to 2' wrap-around ends. Example: 36" spreaders + 4' (wrap-around ends) = 7' box width.

Aluminum Shields (3" Double-Wall)

| | |
|---------------------|--------------------------|
| 6 x 6 Aluminum Box | 6' H x 6' L, 843 lbs. |
| 8 x 10 Aluminum Box | 8' H x 10' L, 1,383 lbs. |
| 8 x 12 Aluminum Box | 8' H x 12' L, 1,563 lbs. |

34" – 88" Adjustable Spreaders; Extra Aluminum Pins & Retainers \$23/ea.

Trench Plates

| | |
|--------|--------------------------------------|
| 5 x 10 | 5' x 10', 1" thick steel, 2,050 lbs. |
| 5 x 12 | 5' x 12', 1" thick steel, 2,725 lbs. |
| 8 x 12 | 8' x 12', 1" thick steel, 3,950 lbs. |
| 8 x 16 | 8' x 16', 1" thick steel, 5,300 lbs. |
| 8 x 20 | 8' x 20', 1" thick steel, 6,650 lbs. |

Material Separators

| | |
|-----------------------------|--|
| MS12 Separator w/ 6" screen | 7' W x 11' 10" L x 9' H, 8' x 12' screen |
| Additional Screen | 2" minus, 3" minus, and 4" minus |

** Additional charges for permits and pilots may apply.*

***Additional charges for permits, pilot, assembly & disassembly may apply.*



TRENCH SHIELDS CONT.

Gravel Boxes

| | |
|--------|----------------------------|
| GS-5.5 | 5.5 cubic yard bedding box |
| GS-7.5 | 7.5 cubic yard bedding box |
| GS-9 | 9 cubic yard bedding box |

| | | | |
|-----------------------|-----------------------|--------------------|--------------------------------|
| Delivery Rates | Under 25 miles | 25-60 miles | 60+ miles (\$ per mile) |
| All Types | \$160 | \$265 | \$5.50 |

PLEASE NOTE:

- Haulage over 60 miles will bill at 25 to 60 rate plus mileage rate for additional miles.
- Customer moves under 60 miles will be billed at \$160/hr. for loads that are not oversize.
- Oversize loads will be at the book rate.

ADDITIONAL HAULAGE-RELATED CHARGES:

1. Escort fees and permits.
 2. \$150 per hour stand-by time will apply after the 1st half hour at the job site.
 3. All parts loads (fall off load) including dozer, bucket, ripper, etc.: Under 25 miles = \$150; 25-60 miles = \$250, Over 60 miles = \$5.20/mile.
 4. Any assembly charges will be performed by field service at the field service rate.
- ** For haulage of customer-owned machines a \$150 minimum will apply.**

* Additional charges for permits and pilots may apply.

**Additional charges for permits, pilot, assembly & disassembly may apply.

CRUSHING & SCREENING EQUIPMENT
Crushers (Track Mounted)

| | |
|-------------------|---|
| Lokotrack LT106 | 28" x 42" Jaw Crusher, 300 hp CAT engine |
| Lokotrack LT200HP | HP200 Cone Crusher, 415 hp CAT engine |
| Lokotrack LT220D | Close circuit HP200 cone w/5' x 18' (3) deck screen |
| Lokotrack LT1110 | 31" x 41" Impactor Feed Opening, 325 HP CAT |
| Lokotrack LT1213 | 35" x 52" Impactor Feed Opening, 415 HP CAT |
| Lokotrack LT1213S | 35" x 52" Impactor OPG. Dual slope 5' x 12' screen |

Screens (Track Mounted)

| | |
|-----------------|---|
| Anaconda FSL100 | 5" Vibrating Grizzly, Scalping Screen, 42' discharge conveyor |
| Anaconda DF410 | 4' x 10', Two Deck Screening Plant, 42" discharge conveyor |
| Lokotrack ST2.4 | 5' x 12' Two Deck Screening Plant - CAT 4.4 |
| Lokotrack ST2.8 | 5' x 16' Two Deck Screening Plant - CAT 4.4 |
| Lokotrack ST3.5 | 5' x 12' Two Deck Screening Plant - CAT 4.4 |
| Lokotrack ST3.8 | 5' x 18' Two Deck Screening Plant - CAT 4.4 |
| Lokotrack ST4.8 | 5' x 18' 3-Deck Screening Plant - CAT 4.4 |

Crushers (Trailer Mounted)

| | |
|----------|---|
| C125 | 38" x 50" Jaw, 58"x24' VGF (two 4' long stepped grizzly sections) |
| C106 | 8" x 42" Jaw, 150 hp electric motor, switch gear |
| C3054 | 30" x 54" Jaw, 200 hp electric motor, switch gear |
| HP3 | Rear discharge belt, 300 hp electric motor, switch gear |
| HP4 | Rear discharge belt, 400 hp electric motor, switch gear |
| HP300 | Rear discharge belt, 300 hp electric motor, switch gear |
| HP3 CC | Closed Circuit HP3 w/6'x20' 3-deck screen |
| HP300 CC | Closed Circuit HP300 w/6'x20' 3-deck screen |
| HP400 | Rear discharge belt, 400 hp electric motor, switch gear |
| GP300S | Rear discharge belt, 300 hp electric motor, switch gear |

Screens (Trailer Mounted)

| | |
|-------------------|---|
| RDO 6x16 Screener | Diesel/Hydraulic self-contained screen plant on chassis |
| 6 x 20 | 3-deck horiz. screen plant, switch gear |
| 7 x 20 | 3-deck horiz. screen plant, switch gear |
| 8 x 20 | 3-deck horiz. screen plant, switch gear |

Field Conveyors

| | |
|--------------------|--------------------------------|
| 36" x 30' Conveyor | Field conveyor |
| 36" x 40' Conveyor | Field conveyor |
| 36" x 60' Conveyor | Field conveyor |
| Adj. Support Legs | Adjustable Height Support Legs |

Hydraulic Conveyors

| | |
|------------------------------|--------------------------|
| 36" x 40' Hyd Drive Conveyor | Hydraulic Field conveyor |
|------------------------------|--------------------------|



CRUSHING & SCREENING EQUIPMENT CONT.

Radial Stacking Conveyors

| | |
|------------------------------|---|
| 36" x 70' Stacker electric | 36" x 70' Radial Stacking Conveyor |
| 36" x 80' Diesel/Hyd Stacker | Self contained, power raise, power travel |
| 36" x 100' Radial Stacker | 36" x 100' Radial Stacking Conveyor |
| 36" x 125' Radial Stacker | 36" x 125' Radial Stacking Conveyor |
| 36" x 140' Magnum electric | Low Profile Telescoping Stacker |
| 36" x 150' Magnum electric | Telescoping Stacker |

Bins / Feeders / Hoppers

| | |
|--------------------------|--|
| 10' x 16' Grizzly Feeder | Portable HYD 6" – 8" Grizzly bar spacing |
| 48" Truck Unloader | Driver over unloader |

Green Waste

| | |
|---------------------------|-------------------------|
| Edge TRM622 (Rubber Tire) | 6' x 22' Trommel Screen |
| Edge TRM622 (Track Mtd.) | 6' x 22' Trommel Screen |

***Plus applicable wear fee, screen cloth, etc.** *Customer agrees to the following responsibilities: Provide all normal maintenance items; Cleanup charge for excessively dirty machines; Maintain machine as specified in lube & maintenance manual; Compensate for wear items, such as manganese wear, jaw plates, shoes, anvils, etc.; Provide adequate insurance; Repair or replace any damage to machine. Compensate for abnormal wear of tires, including cuts and abrasions.*

| Crushers | Under 25 Miles | 25 to 60 miles | 60+ miles (\$ per mile) |
|-----------------|-----------------------|-----------------------|--------------------------------|
| DF410 | \$485 | \$705 | \$7.05 |
| FTR150 | \$485 | \$705 | \$7.05 |
| ST3.5 | \$485 | \$705 | \$7.05 |
| ST3.8 | \$485 | \$705 | \$7.05 |
| LT106* | \$840 | \$1,050 | \$12.65 |
| LT1110* | \$635 | \$870 | \$8.60 |
| LT1213* | \$840 | \$1,050 | \$12.75 |
| LT200HP* | \$630 | \$870 | \$8.60 |
| LT1213S* | \$950 | \$1,210 | \$14.75 |

| Trailer Mtd. Crusher Units | Under 25 Miles | 25 to 60 miles | 60+ miles (\$ per mile) |
|-----------------------------------|-----------------------|-----------------------|--------------------------------|
| NW300HPCC* | \$800 | \$1,050 | \$12.65 |
| NWHP4* | \$705 | \$900 | \$9.00 |
| NWHP400* | \$705 | \$900 | \$9.00 |
| NWC106* | \$950 | \$1,210 | \$14.75 |
| NWC3054* | \$950 | \$1,210 | \$14.75 |
| Masaba 3-Pack* | \$315 | \$485 | \$6.30 |
| Masaba Magnum* | \$485 | \$705 | \$7.05 |

* Additional charges for permits and pilots may apply.
 ** Additional charges for permits, pilot, assembly & disassembly may apply.

****A prorated "Service Fee" will be assessed on all rentals (determined by unit size)****

SOUND ATTENUATED GENSETS

| | |
|--------------|--|
| 20kW/25kVA | Single Shift Double Shift Triple Shift |
| 28kW/35kVA | Single Shift Double Shift Triple Shift |
| 36kW/45kVA | Single Shift Double Shift Triple Shift |
| 56kW/70kVA | Single Shift Double Shift Triple Shift |
| 100kW/125kVA | Single Shift Double Shift Triple Shift |
| 120kW/150kVA | Single Shift Double Shift Triple Shift |
| 150kW/187kVA | Single Shift Double Shift Triple Shift |
| 176kW/220kVA | Single Shift Double Shift Triple Shift |
| 200kW/250kVA | Single Shift Double Shift Triple Shift |

* Day = 8 hrs., Week = 40 hrs., 4-Week = 176 hrs.



SOUND ATTENUATED GENSETS (CONT.)

| | |
|-----------------------|--|
| 230kW/285kVA | Single Shift Double Shift Triple Shift |
| 300kW/375kVA | Single Shift Double Shift Triple Shift |
| 350kW/438kVA | Single Shift Double Shift Triple Shift |
| 350kW Tier4i | Single Shift Double Shift Triple Shift |
| 400kW/500kVA | Single Shift Double Shift Triple Shift |
| 500kW/625kVA | Single Shift Double Shift Triple Shift |
| 600kW/750kVA | Single Shift Double Shift Triple Shift |
| 800kW/1000kVA | Single Shift Double Shift Triple Shift |
| 1000kW/1250kVA | Single Shift Double Shift Triple Shift |
| 1750kW/2188kVA | Single Shift Double Shift Triple Shift |

SOUND ATTENUATED GENSETS (CONT.)

| | |
|----------------|--------------|
| 2000kW/2500kVA | Single Shift |
| | Double Shift |
| | Triple Shift |

NATURAL GAS

| | | |
|---------|---|-----|
| XG135 | Standby 135kW / Prime 120kW (sea level) | N/A |
| XQ1475G | 1475kW / 1844kVA | N/A |

| Generators | Under 25 Miles | 25 to 60 miles | 60+ miles (\$ per mile) |
|---------------------------|-----------------------|-----------------------|--------------------------------|
| 25kVA – 110kVA | \$160 | \$265 | \$5.50 |
| XQ125 – XQ350, 3304, 3306 | \$160 | \$265 | \$5.50 |
| 3412 – 3516, XQ2000 | \$210 | \$315 | \$6.00 |
| Transformers / Loadbanks | \$210 | \$315 | \$6.00 |

ELECTRICAL DISTRIBUTION**Single Conductor**

| | |
|-------------------|--|
| 4/0 w/Camloc Ends | Single conductor 4/0 Type W cable w/camlocs - 400 amp, 4 per set, each (50') |
| 4/0 Pigtail | Single conductor 4/0 Type W cable camloc to bare cable (pigtail) each (3') |
| 535 MCM | Medium voltage, single conductor, 750 amp, each (50') |

Multi-Conductor

| | |
|-----------------|---|
| 10/5 Extensions | #10awg/5 wire, 20 amp, 208v, 3 twistlock ext. cable, each (50') |
|-----------------|---|

Power Distribution Panels

| | | |
|-----------------|--|-----|
| QBFP-200 | 200 amp, quad box feeder panel (provides 24-20 amp, 120v) | |
| 1000A-BRKRS | 1000 amp breakers, 2 ea 1000 amp brkrs in a NEMA 1 cabinet | |
| 1200A-BRKRS | 1200 amp breakers, 2 ea 1200 amp brkrs in a NEMA 1 cabinet | |
| 800A I-Line | 800 amp, 3-phase NEMA 3R I-Line Distro Panel, 1 hr/breaker @ \$100/hr., \$200 min. | N/A |
| I-Line Breakers | Breakers for I-Line Panels, per amp | N/A |

ELECTRICAL DISTRIBUTION (CONT.)

Power Distribution Accessories

| | |
|----------------------|---|
| Quadbox String (QBS) | Quadbox stringer-30' spacing (3-20 amp, 120v, one quad box every 30') |
| Spider Box | 50 amp, Spider Box (1-30 amp, 250v & 6-20 amp, 120v) |
| Cable Ramp | Cable Ramps, 5-1.25" channels, 3' length |

Resistive / Reactive Loadbanks

| | |
|----------|--|
| 3.3 MVA | 3.3mVA Crestchic Loadbank |
| 100kW | 100kW @ 240/480 VAC, 3-Phase, 60 Hz 240/120 Amps Per Phase |
| 6.25 MVA | 6.25mVA Crestchic Loadbank |
| 400kW | 240/480V, 3hp, 60Hz |

Transformers

| | |
|----------|--|
| 2500 kVA | Multi-tap 480 to Medium Voltage (4160, 12470, 13800) |
| 5000 kVA | Multi-tap 480 to Medium Voltage (4160, 12470, 13800) |

Transfer Switches

| | |
|----------|----------------------|
| 2000 AMP | 4 Pole – ATS NEMA 3R |
| 4000 AMP | 4 Pole – ATS NEMA 3R |

COMPRESSED AIR

Low Pressure Machines

| | |
|-------------------------|--------------|
| 375CFM Sullivan Palatek | Single Shift |
| 375 cfm @ 150 psi | Double Shift |
| | Triple Shift |
| XAVS400CD | Single Shift |
| 400 cfm @ 200 psi | Double Shift |
| | Triple Shift |
| XAVS900 | Single Shift |
| 860 cfm @ 200 psi | Double Shift |
| | Triple Shift |

COMPRESSED AIR (CONT.)

| | |
|--------------------------|------------------|
| XAMS1150 | Single Shift |
| 1150 cfm @ 125 psi | Double Shift |
| | Triple Shift |
| XAS1800CD | Single Shift |
| 1775 cfm @ 100 psi | Double Shift |
| 1620 cfm @ 150 psi | Triple Shift |
| 200 HP Oil Free Electric | 785CFM @ 125 psi |
| Oil Free Compressors | |

High Pressure Machines

| | |
|----------------------|----------------------------|
| XRVS1000 | Single Shift |
| 1000 cfm @ 365 psi | Double Shift |
| | Triple Shift |
| XRYS1260 | Single Shift |
| 1426 cfm @ 300 psi | Double Shift |
| 1207 cfm @ 510 psi | Triple Shift |
| XRVS1350 | Single Shift |
| 1335 cfm @ 365 psi | Double Shift |
| | Triple Shift |
| 3 inch High Pressure | Up to 600PSI, Boss Fitting |

Dessicant Dryer

| | |
|-----------------------|---|
| 400 CFM | Ingersoll-Rand Model HL400 Heatless Dessicant |
| 1800 CFM (RDH 1550 G) | Dessicant, heatless regenerating twin tower - 3" fitting (120 V source needed) |

Graco Vapor Abrasive Blast Equipment

| | |
|------------------|---|
| EQ100M | Integral Hand Truck Assembly, connects to any 185-350 cfm air compressor |
| EQ600S | Stand Alone unit, connects to 375-600 cfm air compressor |
| EQ400T | Self Contained Turn-Key unit, diesel driven 375 cfm air compressor |
| Media | <i>Quoted depending on type needed</i> |
| Extension Nozzle | |



TEMPERATURE CONTROL

Air Conditioners

| | |
|------|------------|
| AC30 | 30 ton a/c |
| AC50 | 50 ton a/c |

Kwikool Portable Air

| | |
|---------|----------------------------|
| SAC6043 | 5 ton 480V Indoor Use Only |
|---------|----------------------------|

Duct

| | |
|---------------|----------------------------------|
| Flex Duct 12" | 12" white flex duct, 15' section |
| Flex Duct 20" | 20" white flex duct, 15' section |

Chillers

| | |
|-----------------|--------------------|
| 150 ton Chiller | Air cooled chiller |
|-----------------|--------------------|

Chiller Hose (Price per ft.)

| | |
|------|---|
| DI-4 | 4" discharge hose - CAM; 10', 25', 50' |
| SU-4 | 4" suction hose - CAM; 12', 25' |
| DI-6 | 6" discharge hose - VIC; 10', 15', 25', 50' |
| SU-6 | 6" suction hose - VIC; 5', 25' |
| DI-8 | 8" discharge hose - VIC; 50' |
| SU-8 | 8" suction hose - VIC |

Chiller Accessories (25' length, Price per ft.)

| | |
|--------------|---|
| 4-6-8 Misc. | 4", 6", 8" misc. accessories |
| 4-6-8 Elbow | 4", 6", 8" elbow |
| 4-6-8 Flange | 4", 6", 8" CAM or VIC-to-flange adapter |

Chiller Pumps

| | |
|-----------|---|
| 10HP Pump | 150 GPM, 480VAC, triple duty valve, skid mtd. |
| 15HP Pump | 250 GPM, 480VAC, triple duty valve, skid mtd. |
| 20HP Pump | 350 GPM, 480VAC, triple duty valve, skid mtd. |
| 25HP Pump | 500 GPM, 480VAC, triple duty valve, skid mtd. |
| 60HP Pump | 1,200 GPM, 480VAC, triple duty valve, skid mtd. |

HEATERS**Diesel**

| | |
|-------------|-------------------------------|
| 400-500 BTU | 1 x 20 Supply |
| MH500 | Maxi Heat 500 (500-1,000 BTU) |
| 750 BTU | Flameless |
| 1200 BTU | Flameless |

Natural Gas

| | |
|-------------|----------------------------|
| 400-500 BTU | Natural Gas, 3 x 12 Supply |
|-------------|----------------------------|

FUEL CUBE

| | |
|-----------|-------------------------------|
| Fuel Cube | Double Wall DOT, 1,240 Gallon |
|-----------|-------------------------------|



RENTAL TERMS AND CONDITIONS: (see rental agreement for complete terms and conditions)

Lessee agrees to return machine clean and in good condition, less normal wear and tear with a full tank of fuel. If machine is returned dirty or low of fuel, cleaning and fuel servicing charges will apply.

Standard rental rates based on single shift at 176 hours a month, 40 hours a week and 8 hours a day. Additional hours accumulated will be billed accordingly. Rates do not include sales tax, insurance or freight.

Double shift rate = standard rate x 1.75

Triple shift rate = standard rate x 2.65

OVERTIME RATES

Daily Rental – Rate divided by 8.

Weekly Rental – Rate divided by 40.

Monthly Rental – Rate divided by 176.

RENTER'S RESPONSIBILITIES:

- Normal maintenance and service of machine, including changing all lubricants and fluids at required intervals. Wheeler Machinery Co. offers on-site lube and oil service at an additional cost.
- Replacing teeth and cutting edges as needed
- All wear or damages to rubber tires
- Cylinder head breakage caused by lack of or low coolant
- Maintaining physical damage insurance coverage on rented machines, or accepting the terms and conditions of Wheeler Machinery Co.'s Physical Damage Waiver and paying a charge of 15 percent of the gross rental charges for that damage waiver. Wheeler Machinery Co.'s Physical Damage Waiver is not available for trucks licensed for use on public highways. The customer must maintain auto liability and physical damage coverage for on-highway vehicles rented from Wheeler Machinery Co.

Rates are FOB Wheeler Machinery Co.'s yard.

Rates are subject to change without prior notice.

Machines are subject to availability.

CUSTOMER INSURANCE REQUIREMENTS: (for Rented/Leased Equipment)

All customers are required to have general liability insurance and physical damage insurance as outlined below:

ON-HIGHWAY CONSTRUCTION EQUIPMENT (Licensed for use on public highways)

1. Business auto liability insurance: \$1,000,000 per occurrence.
2. Auto physical damage insurance: Full value of trucks:
 - Specify trucks rented or leased from Wheeler Machinery Co.
 - Include coverage for hired and non-owned autos
 - Name Wheeler Machinery Co. as an additional insured and loss payee

OFF-HIGHWAY CONSTRUCTION EQUIPMENT

1. Commercial general liability insurance: \$1,000,000 per occurrence, covering:
 - Customer's operations
 - Wheeler Machinery Co. as an additional insured
2. Physical damage insurance: Full value of equipment, covering:
 - Rented or leased equipment using a contractor's equipment floater form or comparable form
 - Name Wheeler Machinery Co. as loss payee
 - The physical damage insurance requirement shall not apply if customer participates in and pays for Wheeler Machinery Co.'s Physical Damage Waiver

EVIDENCE OF INSURANCE

1. Customer must provide Wheeler Machinery Co. with a certificate of insurance confirming:
 - Appropriate coverage is in full force and effect
 - Such insurance may not be canceled or materially modified except by first giving Wheeler Machinery Co. 30 days prior written notice
2. Please mail insurance certificates to:
Wheeler Machinery Co. / Cat Rental Store
5065 West 2100 South
Salt Lake City, UT 84120
Attn: Rental Department

Or you may fax insurance certificates to: 801-908-8200, ATTN: Rental Department.

All customers renting from Wheeler Machinery Co. are required either to maintain physical damage insurance or to accept the Physical Damage Waiver prior to the rental of any equipment. If the customer chooses to maintain their own physical damage insurance, they must provide Wheeler Machinery Co. with valid proof of that insurance. If the customer chooses to accept the Physical Damage Waiver, Wheeler Machinery Co. will partially waive their responsibility as the Lessee for loss of or damage to the equipment. And, while the Physical Damage Waiver is not insurance, it does provide some limited protection against accidental direct physical loss of or damage to the rented or leased equipment other than automobiles or trucks licensed for use on public highways, which are not covered by the Physical Damage Waiver.

All Physical Damage Waiver charges will be charged at 15 percent of the gross rental charges.

EXCLUSIONS

The Physical Damage Waiver will not cover the following exclusions and causes of loss which will remain Lessee's responsibility:

1. The first \$3,000 of damage for all machines valued under \$50,000. The first \$5,000 of damage for all machines valued between \$50,000 and \$200,000. The first \$7,500 of damage for all machines valued over \$200,000. This deductible is per occurrence for each separate piece of equipment stolen or damaged.
2. Theft of or damage to all accessories, such as air hoses, tools, electric cords, blades, welding cable, fuel tanks and other similar items.
3. Damage caused by overloading or exceeding the rated capacity of equipment.
4. Damage to motors or other electrical devices caused by a surge in electric current.
5. Damage to tires and tubes caused by blowout, bruises, cuts, road hazards or other causes inherent in the use of the equipment.
6. Damage resulting from lack of lubrication or other normal servicing of equipment.
7. Wrongful conversion by the Customer in possession of the equipment or infidelity of Customer's employees or persons to whom the equipment is entrusted, carriers for hire excepted.
8. Voluntarily parting with the equipment by the Customer or by

others to whom the equipment may be entrusted, except carriers for hire, if induced to do so by any fraudulent scheme, trick or false pretense.

9. Loss or damage caused by abuse or misuse of equipment in violation of any of the terms of the rental agreement.
10. Failure to file a police report following the theft, disappearance or vandalism of the equipment.
11. Damage caused by using straight gas in 2-cycle motors.
12. Loss or damage caused by failure to keep the equipment in a locked enclosure or otherwise secured when not in use.
13. Loss or damage resulting from criminal activity.
14. Loss or damage caused by intentional acts.
15. Loss or damage that was, or should have been, expected due to an extraordinary application or use of the equipment.
16. Delay, loss of market, loss of use, loss of profit, business interruption or indirect or consequential loss of any kind.
17. Loss or damage resulting from overturning or striking overhead objects.

- Lessee agrees that he/she has read the foregoing Physical Damage Waiver explanation and understands that it covers direct physical damage to equipment only and is not a substitute for liability insurance.
- Lessee agrees to participate in the Physical Damage Waiver from Wheeler Machinery Co. and has read and understands the terms and conditions of the Physical Damage Waiver.
- Wheeler's Physical Damage Waiver is not available for trucks licensed for use on public highways. The customer must provide proof of insurance for these vehicles.

If Lessee chooses not to accept Physical Damage Waiver, proof of physical damage insurance on rented equipment must be provided. The Physical Damage Waiver will be charged until such proof has been provided.

UTAH MILEAGE CHART

Wheeler



| | |
|------------------------|---|
| American Fork | 166 |
| Beaver City | 254 88 |
| Brigham City | 316 70 228 |
| Bryans Canyon | 327 360 302 272 |
| Chaparrado Hill Park | 235 120 279 167 201 |
| Cedar Breaks | 178 352 56 303 49 215 |
| Cedar City | 21 199 354 78 306 52 218 |
| Delta | 133 142 187 296 163 189 93 101 |
| Elmo Junction | 158 274 271 257 306 284 59 222 74 |
| Emery | 198 116 174 172 137 204 164 230 122 142 |
| Evansville, Wv. | 232 34 192 308 305 291 362 318 93 296 108 |
| Flintone | 199 96 165 36 109 106 170 127 197 57 109 |
| Flamingo Orange Dam | 288 108 209 142 281 380 381 308 339 373 200 331 200 |
| Grand Canyon Natl Park | 494 248 439 285 405 284 157 142 275 409 155 437 191 349 |
| Grand Canyon Natl Mon. | 372 334 232 357 181 323 252 294 270 91 154 223 355 242 267 |
| Green River | 123 343 217 154 240 82 206 174 232 230 92 119 222 238 180 150 |
| Heber City | 164 281 363 168 123 76 156 42 116 232 229 307 286 242 104 180 32 |
| Kanab | 285 265 315 78 416 170 361 207 327 205 79 64 197 331 77 359 113 271 |
| Logan | 384 128 263 380 462 212 222 104 255 84 214 331 328 314 385 341 25 279 113 |
| Mantua | 178 438 150 239 356 516 34 310 74 231 108 303 405 402 368 361 395 167 353 190 |
| Moab | 275 204 191 105 134 212 269 263 80 181 76 147 92 158 155 121 256 148 179 106 91 |
| Monticello | 190 295 319 321 220 33 166 399 273 210 296 138 262 230 288 285 145 66 270 234 236 206 |
| Neoti | 53 243 348 372 290 273 109 113 368 326 263 349 191 315 283 341 338 198 41 304 347 289 259 |
| North | 270 217 43 254 166 218 67 161 239 296 232 56 143 103 109 49 165 162 148 283 175 141 113 67 |
| Ogden | 120 326 273 158 146 46 338 80 217 334 416 180 176 72 209 38 168 285 282 268 339 295 21 233 67 |
| Page, AZ | 413 293 215 268 266 513 459 75 360 340 240 153 491 245 435 282 402 281 154 139 327 256 152 434 188 346 |
| Parangah | 142 271 151 307 254 124 371 317 67 218 198 241 145 349 103 294 140 260 139 62 32 144 320 24 292 46 204 |
| Park City | 237 379 66 86 292 299 124 139 112 304 19 183 300 382 173 142 65 175 31 135 251 248 234 305 261 87 199 51 |
| Pico | 120 195 337 154 104 172 119 99 176 200 262 101 63 180 340 154 151 177 55 143 149 229 227 158 185 219 175 177 87 |
| Provo | 74 46 191 333 80 40 246 193 78 177 126 258 27 137 254 336 195 96 103 129 69 89 205 202 188 259 215 101 153 13 |
| Richfield | 114 118 160 77 219 194 74 230 177 47 234 240 144 141 121 183 222 272 67 217 63 183 87 111 109 90 243 101 215 59 127 |
| Roosevelt | 201 124 83 116 278 420 180 161 255 202 173 93 226 345 97 146 263 423 71 217 167 138 139 210 312 309 221 268 302 201 260 129 |
| St. George | 365 164 258 282 304 115 158 338 218 373 341 211 458 384 83 285 285 343 161 256 160 227 327 186 53 74 246 414 126 359 105 271 |
| Salt Lake City | 181 184 17 97 101 143 94 236 177 57 213 160 30 277 223 161 125 104 182 239 156 200 46 166 70 128 125 82 226 118 198 76 110 |
| Salt Lake City | 142 303 145 169 45 119 31 236 378 35 85 291 238 123 160 81 303 48 182 299 381 194 41 86 174 52 133 250 247 224 304 260 56 198 32 |
| Stansbury | 102 244 405 247 261 147 221 133 338 480 67 187 393 340 225 213 63 405 150 284 401 483 347 243 139 276 105 235 352 349 326 406 362 50 300 134 |
| Tooele | 136 34 155 288 179 172 69 143 65 249 391 69 98 325 272 141 154 115 316 82 206 323 394 228 137 120 208 86 102 235 243 258 338 273 90 194 56 |
| Vernal | 209 277 175 214 395 30 231 154 113 146 308 450 207 191 285 232 61 83 256 375 128 176 293 453 41 247 145 168 169 239 342 340 251 296 332 252 158 |
| Wasatch | 295 103 157 120 257 391 265 274 165 239 151 343 485 155 197 411 358 243 280 201 418 168 302 419 488 314 240 206 294 172 205 338 346 344 424 375 176 297 152 |
| Zion Natl Park | 397 382 294 411 309 168 43 352 151 264 269 308 74 116 344 224 331 328 198 445 390 41 291 272 301 119 423 168 367 214 333 192 59 71 204 372 84 365 111 277 |

Wheeler



801-908-8900 | wheelercat.com/rental-equipment |    