2025 AERIAL GUIDE



PARTS | RENTAL | SALES | SERVICE



CONTACT INFORMATION // AERIAL PRODUCT GUIDE



IN THIS GUIDE

Scissor Lifts
Rough Terrain Scissor Lifts6-7
Towable Boom Lifts
Material Lifts / Trailers
Telehandlers
Articulating Boom Lifts
Telescopic Boom Lifts
Single Man Vertical Lifts
Genie Lift Power System
JLG SkyPower®



AERIAL SALES

Phone: 801-978-1625

Email: BC-RentalSalesman@wheelercat.com



AERIAL RENTAL

Phone: 801-908-8900

Email: BC-RentalSalesman@wheelercat.com



AERIAL SERVICE

Phone: 801-978-1460

Email: aerialservice@wheelercat.com









JLG ES-1932

19' Scissor Lift

MAX WORKING HEIGHT: 25 ft PLATFORM CAPACITY: 507 lb MACHINE WIDTH: 2 ft 8 in MACHINE LENGTH: 5 ft 9 in **WEIGHT**: 3,450 lb





JLG ES-3246

32' Scissor Lift

MAX WORKING HEIGHT: 38 ft PLATFORM CAPACITY: 507 lb MACHINE WIDTH: 3 ft 10 in MACHINE LENGTH: 7 ft 10 in

WEIGHT: 5.620 lb





JLG ES-2632

26' Scissor Lift

MAX WORKING HEIGHT: 31 ft 6 in **PLATFORM CAPACITY: 507 lb** MACHINE WIDTH: 2 ft 8 in MACHINE LENGTH: 7 ft 10 in **WEIGHT**: 4,400 lb





JLG AE-1932

19' All Electric Scissor Lift

MAX WORKING HEIGHT: 25 ft **PLATFORM CAPACITY: 606 lb** MACHINE WIDTH: 2 ft 8 in MACHINE LENGTH: 5 ft 9 in

WEIGHT: 3,450 lb





JLG ES-2646

26' Scissor Lift

MAX WORKING HEIGHT: 32 ft PLATFORM CAPACITY: 1,200 lb MACHINE WIDTH: 3 ft 10 in MACHINE LENGTH: 7 ft 10 in

WEIGHT: 5,295 lb





MAX WORKING HEIGHT: 39 ft **PLATFORM CAPACITY: 770 lb** MACHINE WIDTH: 3 ft 10 in MACHINE LENGTH: 8 ft 11 in

WEIGHT: 6,230 lb





GENIE GS-1432M

14' Scissor Lift

WORKING HEIGHT: 20 ft 1 in PLATFORM CAPACITY: 500 lb MACHINE WIDTH: 32 in MACHINE LENGTH: 4 ft 7 in WEIGHT: 1,984 lb





GENIE GS-1932M

19' Scissor Lift

MAX WORKING HEIGHT: 24 ft 2 in PLATFORM CAPACITY: 500 lb MACHINE WIDTH: 2 ft 8 in MACHINE LENGTH: 4 ft 7 in

WEIGHT: 2,600 lb





GENIE GS-1932

19' Scissor Lift

MAX WORKING HEIGHT: 25 ft 3 in PLATFORM CAPACITY: 500 lb MACHINE WIDTH: 2 ft 8 in MACHINE LENGTH: 6 ft WEIGHT: 2,929 lb





GENIE GS-2632

26' Scissor Lift

MAX WORKING HEIGHT: 32 ft 1 in PLATFORM CAPACITY: 500 lb MACHINE WIDTH: 2 ft 8 in MACHINE LENGTH: 8 ft WEIGHT: 4,729 lb





GENIE GS-2646

26' Scissor Lift

MAX WORKING HEIGHT: 32 ft 1 in PLATFORM CAPACITY: 1,000 lb MACHINE WIDTH: 3 ft 10 in MACHINE LENGTH: 8 ft WEIGHT: 4,346 lb





GENIE GS-3232

32' Scissor Lift

MAX WORKING HEIGHT: 38 ft 1 in PLATFORM CAPACITY: 500 lb MACHINE WIDTH: 2 ft 8 in MACHINE LENGTH: 8 ft

: 5,367 lb











GENIE GS-3246

32' Scissor Lift

MAX WORKING HEIGHT: 38 ft 1 in

CAPACITY: 700 lb

MACHINE WIDTH: 3 ft 10 in MACHINE LENGTH: 8 ft WEIGHT: 5,218 lb





GENIE GS-4046

40' Scissor Lift

WORKING HEIGHT: 45 ft 2 in PLATFORM CAPACITY: 770 lb MACHINE WIDTH: 3 ft 10 in MACHINE LENGTH: 8 ft 2 in WEIGHT: 6,871 lb





GENIE GS-4655

46' Scissor Lift

WORKING HEIGHT: 51 ft 9 in PLATFORM CAPACITY: 770 lb MACHINE WIDTH: 4 ft 6 in MACHINE LENGTH: 10 ft 2 in WEIGHT: 8,160 lb





GENIE GS-2669 RT

26' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 32 ft 2 in PLATFORM CAPACITY: 1,500 lb MACHINE WIDTH: 5 ft 9 in MACHINE LENGTH: 10 ft 3 in

WEIGHT: 7,149 lb





GENIE GS-4069 RT

40' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 46 ft 3 in PLATFORM CAPACITY: 800 lb MACHINE WIDTH: 5 ft 9 in MACHINE LENGTH: 10 ft 3 in

WEIGHT: 10,392 lb





GENIE GS-3369 RT

33' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 38 ft 8 in PLATFORM CAPACITY: 1,000 lb

WIDTH: 5 ft 9 in

MACHINE LENGTH: 10 ft 3 in

WEIGHT: 7,599 lb





GENIE GS-4390 RT

43' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 49 ft PLATFORM CAPACITY: 1,500 lb MACHINE WIDTH: 7 ft 8 in MACHINE LENGTH: 12 ft 11.25 in

WEIGHT: 12,894 lb





GENIE GS-3390 RT

33' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 39 ft PLATFORM CAPACITY: 2,500 lb MACHINE WIDTH: 7 ft 8 in MACHINE LENGTH: 12 ft

WEIGHT: 11,977 lb





GENIE GS-5390 RT

53' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 59 ft PLATFORM CAPACITY: 1,500 lb MACHINE WIDTH: 7 ft 8 in MACHINE LENGTH: 16 ft WEIGHT: 16,567 lb











JLG RT-3369

33' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 39 ft PLATFORM CAPACITY: 1,000 lb MACHINE WIDTH: 5 ft 9 in MACHINE LENGTH: 11 ft 7 in

WEIGHT: 9,457 lb





JLG RT-4394

43' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 49 ft PLATFORM CAPACITY: 1,500 lb MACHINE WIDTH: 7 ft 9 in MACHINE LENGTH: 12 ft 10 in

WEIGHT: 15,210 lb





JLG RT-3394

33' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 39 ft PLATFORM CAPACITY: 2,250 lb MACHINE WIDTH: 7 ft 9 in MACHINE LENGTH: 12 ft 10 in

WEIGHT: 11,820 lb





JLG RT-4769

47' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 53 ft PLATFORM CAPACITY: 800 lb MACHINE WIDTH: 5 ft 9 in MACHINE LENGTH: 11 ft 7 in

WEIGHT: 15,200 lb





JLG RT-4069

40' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 46 ft PLATFORM CAPACITY: 800 lb MACHINE WIDTH: 5 ft 9 in MACHINE LENGTH: 11 ft 7 in

WEIGHT: 10,558 lb





JLG RT-5394

53' Rough Terrain Scissor Lift

MAX WORKING HEIGHT: 53 ft PLATFORM CAPACITY: 1,500 lb MACHINE WIDTH: 7 ft 7 in MACHINE LENGTH: 17 ft WEIGHT: 17,110 lb









GENIE TZ-34/20

35' Towable Boom Lift

MAX WORKING HEIGHT: 40 ft HORIZONTAL REACH: 18 ft 4 in PLATFORM CAPACITY: 500 lb UP AND OVER HEIGHT: 16 ft 1 in

WEIGHT: 3.155 lb





JLG T-350

35' Towable Boom Lift

PLATFORM HEIGHT: 34 ft 5 in HORIZONTAL REACH: 20 ft 2 in PLATFORM CAPACITY: 500 lb UP AND OVER HEIGHT: 15 ft

WEIGHT: 3,400 lb





GENIE TZ-50

50' Towable Boom Lift

MAX WORKING HEIGHT: 55 ft 6 in HORIZONTAL REACH: 29 ft 2 in PLATFORM CAPACITY: 500 lb UP AND OVER HEIGHT: 22 ft

WEIGHT: 4,400 lb





50' Towable Boom Lift

PLATFORM HEIGHT: 50 ft HORIZONTAL REACH: 30 ft PLATFORM CAPACITY: 500 lb UP AND OVER HEIGHT: 18 ft

WEIGHT: 4,800 lb







GENIE SLC-24

24' Material Lift

MAX LIFT HEIGHT: 24 ft CAPACITY: 650 lb STOWED HEIGHT: 7 ft 2 in MACHINE WEIGHT: 347 lb

SURE-TRAC

Single Axle Tilt Bed Trailer

MODEL: ST7812SATE-B-078

SIZE: 6.5′ x 12′ **GVWR**: 7,800 lb **PAYLOAD**: 5,900 lb



SURE-TRAC



SURE-TRAC

Pro Series Tilt Bed Trailer

MODEL: STBTE82164 SIZE: 82"x16' + 4' GVWR: 17,600 lb PAYLOAD: 13,380 lb





TRAIL KING

TRAIL KING

Tilt Utility Trailer

MODEL: TKT16U SIZE: 82"x16' + 4' GVWR: 20,640 lb PAYLOAD: 16,000 lb



SURE-TRAC


Pro Series Tilt Bed Trailer

MODEL: STBTE82166 **SIZE:** 82"x16' + 6'

GVWR: 22,000 lb **PAYLOAD**: 17,180 lb



































GENIE Z-30/20N

30' Articulating Boom Lift

PLATFORM HEIGHT: 30 ft PLATFORM CAPACITY: 500 lb HORIZONTAL REACH: 21 ft 5 in UP AND OVER HEIGHT: 12 ft 8 in MACHINE WIDTH: 3 ft 11 in







GENIE Z-33/18

35' Articulating Boom Lift

PLATFORM HEIGHT: 35 ft
PLATFORM CAPACITY: 440 lb
HORIZONTAL REACH: 18 ft 9 in
UP AND OVER HEIGHT: 14 ft 1 in
MACHINE WIDTH: 4 ft 11 in





















GENIE S-45 XC

45' Telescopic Boom Lift

MAX WORKING HEIGHT: 50 ft 6 in PLATFORM CAPACITY: 660 lb / 1,000 lb HORIZONTAL REACH: 36 ft 2 in BELOW GROUND REACH: 4 ft 2 in MACHINE WIDTH: 8 ft 2 in





GENIE S-85 XC

80' Telescopic Boom Lift

MAX WORKING HEIGHT: 91 ft
PLATFORM CAPACITY: 660 lb / 1,000 lb
HORIZONTAL REACH: 74 ft 6 in
BELOW GROUND REACH: 8 ft 8 in
MACHINE WIDTH: 8 ft 2 in





GENIE S-60 J

60' Telescopic Boom Lift

MAX WORKING HEIGHT: 66 ft 10 in PLATFORM CAPACITY: 660 lb HORIZONTAL REACH: 40 ft 6 in MACHINE WIDTH: 8 ft 2 in





GENIE SX-125 XC

125' Telescopic Boom Lift

MAX WORKING HEIGHT: 131 ft
PLATFORM CAPACITY: 660 lb / 1,000 lb
HORIZONTAL REACH: 80 ft
BELOW GROUND REACH: 8 ft 10 in
MACHINE WIDTH: 8 ft 2 in





GENIE S-65 XC

65' Telescopic Boom Lift

MAX WORKING HEIGHT: 71 ft
PLATFORM CAPACITY: 660 lb / 1,000 lb
HORIZONTAL REACH: 54 ft 2 in
BELOW GROUND REACH: 8 ft 8 in
MACHINE WIDTH: 8 ft 2 in























GENIE AWP-20S

20' Single Man Lift

PLATFORM HEIGHT: 20 ft 1 in MACHINE WIDTH: 2 ft 5 in MACHINE LENGTH: 4 ft 1 in WORKING HEIGHT: 26 ft 1 in PLATFORM CAPACITY: 350 lb





GENIE GR-15

15' Single Man Lift

PLATFORM HEIGHT: 14 ft 8 in MACHINE WIDTH: 2 ft 6 in MACHINE LENGTH: 4 ft 5 in WORKING HEIGHT: 20 ft 8 in PLATFORM CAPACITY: 500 lb





GENIE AWP-25S

25' Single Man Lift

PLATFORM HEIGHT: 24 ft 11 in MACHINE WIDTH: 30 ft 11 in MACHINE LENGTH: 4 ft 3 in WORKING HEIGHT: 25 ft PLATFORM CAPACITY: 350 lb





GENIE GR-20

20' Single Man Lift

PLATFORM HEIGHT: 19 ft 9 in MACHINE WIDTH: 2 ft 8 in MACHINE LENGTH: 4 ft 5 in WORKING HEIGHT: 25 ft 9 in PLATFORM CAPACITY: 350 lb





GENIE AWP-30S

30' Single Man Lift

PLATFORM HEIGHT: 29 ft 6 in MACHINE WIDTH: 35 ft 6 in MACHINE LENGTH: 4 ft 5 in WORKING HEIGHT: 25 ft PLATFORM CAPACITY: 350 lb









JLG 25AM

25' Single Man Lift

PLATFORM HEIGHT: 24 ft 10 in MACHINE WIDTH: 2 ft 6 in MACHINE LENGTH: 4 ft WORKING HEIGHT: 25 ft PLATFORM CAPACITY: 350 lb





JLG E18MCL

18' Single Man Lift

PLATFORM HEIGHT: 18 ft MACHINE WIDTH: 2 ft 6 in MACHINE LENGTH: 2 ft 2 in WORKING HEIGHT: 24 ft PLATFORM CAPACITY: 400 lb





JLG E18MML

18' Single Man Lift

PLATFORM HEIGHT: 18 ft MACHINE WIDTH: 2 ft 6 in MACHINE LENGTH: 5 ft WORKING HEIGHT: 24 ft PLATFORM CAPACITY: 400 lb





JLG 30AM

30' Single Man Lift

PLATFORM HEIGHT: 29 ft 7 in MACHINE WIDTH: 2 ft 5 in MACHINE LENGTH: 4 ft 4 in WORKING HEIGHT: 36 ft PLATFORM CAPACITY: 300 lb






JLG 38AM

38' Single Man Lift

PLATFORM HEIGHT: 38 ft MACHINE WIDTH: 2 ft 5 in MACHINE LENGTH: 4 ft 10 in WORKING HEIGHT: 44 ft PLATFORM CAPACITY: 300 lb



GENIE LIFT POWER SYSTEM

Key Features:

- Allows continuous usage for lifting, driving and powering tools, such as heavy-duty welders
- Unlike the previous system, the new system is on a stand-alone circuit with a separate hydraulic pump for continuous power
- Generator system does not require time to spool up, power is immediately available with the flip of a switch
- Increased productivity translates to no power interruptions during the welding process
- Low-maintenance hydraulic-driven generator system improves rental store's rROIC
- Three options available to provide reliable power solutions worldwide:
 - Two 3kW options are available to meet the specific demands of our global customers: For markets
 that use 50Hz AC power, the all-new 3kW generator can by easily configured to output either 120V
 and 240V single phase. For 60Hz markets, an all-new 3kW 120V generator will efficiently supply
 power to meet jobsite demands.
 - A single-phase, 220V (50Hz) 7kW generator solution that is specifically configured for the needs
 of the Australian market.
 - A three-phase, 240V (60Hz) 12kW generator solution is uniquely configured for North American boom operators to run heavy-duty weld machines.









SKYPOWER®


The JLG SkyPower® system delivers the power you need to conveniently operate other JLG accessories. With the SkyPower system on your machine, you get a 7500W generator with a power cable to the platform. Easily add and provide power to other JLG accessories, including SkyWelder® and SkyCutter® packages.

Features:

- Self-contained AC power to run hand tools
- Side-entry platform provides improved entry and allows for later quick installation of the SkyGlazier panel tray.
- Integrated power cable allows you to quickly attach or detach a variety of JLG accessories

Save Time and Money:

- Eliminate the need to move and reposition the generator, resulting in significant time savings
- Save fuel by using SkyPower in place of separate ground-based generator
- Eliminate the tracking and delivery costs associated with a separate generator
- Reduce costs associated with power cable damage





OUR BRANCH LOCATIONS

CEDAR CITY

451 North Lund Hwy. Cedar City, UT 84720 435-586-6323

HURRICANE

348 South 5300 West Hurricane, UT 84737 435-634-9904

KAYSVILLE

195 North 600 West Kaysville, UT 84037 801-773-9995

LINDON

239 North 1800 West Lindon, UT 84042 801-796-8333

LOGAN

95 North 1000 West Logan, UT 84321 435-753-5505

MOAB

1831 US-191 Moab, UT 84532 435-259-6976

OGDEN - 12[™] STREET

1135 West 12th St. Ogden, UT 84404 801-393-8673

PARK CITY

6450 Silver Creek Dr. Park City, UT 84098 435-645-7840

PLEASANT GROVE

1299 West State St. Pleasant Grove, UT 84062 801-443-2300

SALINA

1345 South State St. Salina, UT 84654 435-529-7423

SALT LAKE CITY

4901 West 2100 South Salt Lake City, UT 84120 801-974-0511

SANDY

240 West 9400 South Sandy, UT 84070 801-566-7714

SOUTH JORDAN

10255 S. Redwood Rd South Jordan, UT 84095 801-253-9922

TOOELE

1601 Main 30 West Tooele, UT 84074 435-843-7811

VERNAL

1345 South 1500 East Vernal, UT 84078 435-789-0635

OGDEN - 1900 WEST

2366 South 1900 West West Haven, UT 84401 801-732-9100

WEST VALLEY

5065 West 2100 South West Valley City, UT 84120 801-966-6300

ELY, NV

1500 Ave. D Ely, NV 89301 775-289-2466



